

L Number	Hits	Search Text	DB	Time stamp
63	146	73/761.ccls. and (bend\$4 deflect\$4 deform\$4 flex\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:46
-	106	73/862.451.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:59
-	333	73/849.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:59
-	111	73/862.392.ccls.	IBM_TDB	2003/01/02 11:59
-	101	73/862.621.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:59
-	2756	((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain stress bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 union bolt screw axle rod)) and (gage gauge bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 18:32
-	876	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain stress bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 union bolt screw axle rod)) and (gage gauge bridge)) and bend\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/08 16:55
-	222	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain stress bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 union bolt screw axle rod)) and (gage gauge bridge)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 18:33
-	677	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain stress bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 union bolt screw axle rod)) and (gage gauge bridge)) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/26 18:37

	50	( "4955441" "5254118" "4252399" "4786202" "4808023" "4811589" "5222386" "5418872" "5590227" "6152372" "4265084" "4336758" "4572541" "4576053" "5207537" "5215481" "5267817" "5286167" "5481797" "5706692" "5788096" "5846245" "5992203" "6019769" "6053295" "4040765" "4173151" "4099889" "4101145" "4252337" "4270395" "4301823" "4305177" "4306643" "4307318" "4326698" "4327570" "4329837" "4330949" "4338893" "4349922" "4365905" "4367658" "4376445" "4379399" "4398802" "4400686" "4411322" "4413959" "4414860").pn.	USPAT	2002/03/28 14:09
--	----	---	-------	------------------

	50	( "4421496" "4430928" "4460227" "4476962" "4488705" "4499831" "4502594" "4507696" "4516322" "4519736" "4519609" "4533113" "4537429" "4547086" "4555014" "4557132" "4561672" "4569431" "4573861" "4576500" "4577887" "4583101" "4582078" "4606438" "4613165" "4623104" "4629224" "4756205" "4756496" "4766347" "4776619" "4785651" "4787121" "4796455" "4797595" "4808119" "4815332" "4824196" "4825957" "4830413" "4838837" "4846495" "4851806" "4858475" "4871191" "4887926" "4897043" "4913031" "4917406" "4920665").pn.	USPAT	2002/03/28 14:09
--	----	---	-------	------------------

	50	("4930955" "4946109" "4949984" "4953651" "4964810" "4966257" "4977775" "4990071" "4991710" "4997449" "5009453" "5013013" "5016904" "5024297" "5026222" "5176081" "5199586" "5209534" "5221224" "5224825" "5248176" "5249486" "5249920" "5256022" "5271260" "5275357" "5295913" "5308283" "5322267" "5336056" "5338264" "5342026" "5343728" "5352226" "5353620" "5383623" "5408878" "5456570" "5468926" "5481778" "5505069" "5582055" "5592726" "5613267" "5649738" "5653321" "5664717" "5681267" "5704301" "5706901").pn.	USPAT	2002/03/28 14:09
--	----	--	-------	------------------

	50	( "5711395" "5755006" "5786553" RE35878 "5847335" "5860186" "5880556" "5888237" "5920140" "5933963" "5934926" "5955712" "5954677" "5964569" "5983729" "5997006" "6006623" "6012744" "6033373" "6037709" "6070294" "6077009" "6079200" "6084182" "6099570" "6128944" "6138780" "6139227" "6179427" "6183250" "6202373" "6234508" "6247561" "6328216" "6332576" "4921059" "5478340" "4827773" "5199301" "5305637" "5364399" "5423826" "4383430" "4298242" "5178388" "4356741" "4485825" "4522201" "4924595" "4926565").pn.	USPAT	2002/03/28 14:11
-	14	73/862.03.ccls.	USPAT	2002/03/28 14:15
-	127	73/862.041.ccls.	USPAT	2003/01/02 12:00
-	100	73/862.044.ccls.	USPAT	2003/01/02 12:00
-	95	73/862.045.ccls.	USPAT	2003/01/02 12:00
-	1531	((pin bolt bar rod screw) near4 (strain gage gauge)) and ((measur\$4 detect\$4 determin\$4 sens\$4) near4 (force bend\$4 deformat\$4 tension\$4 deflect\$4))	USPAT	2002/03/28 15:08
-	1238	((pin bolt bar rod screw) near4 (strain gage gauge)) and ((measur\$4 detect\$4 determin\$4 sens\$4) near2 (force bend\$4 deformat\$4 tension\$4 deflect\$4))	USPAT	2002/03/28 15:11

	698	((pin bolt bar rod screw) near2 (strain gage gauge)) and ((measur\$4 detect\$4 determin\$4 sens\$4) near2 (force bend\$4 deformat\$4 tension\$4 deflect\$4))	USPAT	2002/03/28 15:12
	263	((pin bolt bar rod screw) near2 (strain gage gauge)) and ((measur\$4 detect\$4 determin\$4 sens\$4) near2 (force bend\$4 deformat\$4 tension\$4 deflect\$4)) and 73/\$6.ccls.	USPAT	2002/03/28 15:14
	11	("Re30183"   "4294122"   "4899591"   "5386733"   "5388463"   "5392654"   "5437525"   "5461923"   "5691815"   "5721380"   "6009759").PN.	USPAT	2002/03/28 16:14
	1	6204771.URPN.	USPAT	2002/03/28 15:27
	7	("4429579"   "4526044"   "4553124"   "4674339"   "4875356"   "4924713"   "5211060").PN.	USPAT	2002/03/28 15:39
	1	5783751.URPN.	USPAT	2002/03/28 15:39
	1	4553124.PN.	USPAT	2002/03/28 16:14
	10	("1473033"   "2272030"   "2543705"   "2824481"   "3106862"   "3224316"   "3354702"   "3383974"   "3462223"   "3495907").PN.	USPAT	2002/03/28 16:25
	14	3495907.URPN.	USPAT	2002/03/28 16:26
	37	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain stress bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 union bolt screw axle rod)) and (gage gauge bridge)) and bend\$4).clm.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/08 16:58
	299	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain swerve stray\$4 bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 hinge union bolt screw axle rod)) near7 (gage gauge bridge)) and bend\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/08 17:59
	6	("4554650"   "4685090"   "5046055"   "5777954"   "5948959"   "6088297").PN.	USPAT	2002/04/08 17:26
	0	6253627.URPN.	USPAT	2002/04/08 17:27
	8	("0393132"   "2928069"   "3228240"   "3234787"   "3663839"   "3780817"   "4917579"   "4928030").PN.	USPAT	2002/04/08 17:29
	10	3234787.URPN.	USPAT	2002/04/08 17:33
	127	(((measur\$4 detect\$4 determin\$4 sens\$4 calculat\$4) near6 (force strain swerve stray\$4 bend\$4 deformat\$4 shear\$4) near4 (pin join\$4 hinge union bolt screw axle rod)) near7 (gage gauge bridge)) and bend\$4 and strain and cylind\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/08 18:48
	11	("2036458"   "4332545"   "4478089"   "4526044"   "4730497"   "5377548"   "5402689"   "5472331"   "5510065"   "5639487"   "5846873").PN.	USPAT	2002/04/08 18:41
	0	5972256.URPN.	USPAT	2002/04/08 18:41
	276	73/862.041.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/08 18:48
	8	4804053.URPN.	USPAT	2002/04/08 18:51
	2	5127275.URPN.	USPAT	2002/04/08 19:00
	22	("3695096" "4553124" "4630490" "4823606" "5161594" "5339696" "5386724" "5717143").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/09 15:08
	435	73/761.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:00

	26	73/761.ccls. and bend\$4 and (strain near2 (gauge gage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/22 16:30
	67	73/76\$5.ccls. and bend\$4 and (strain near2 (gauge gage)) and (pin bolt screw)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/22 16:31
	8	("4553124" "5783751" "5076375" "5728044" "4576053" "4576158" "5639487" "4429579").pn.	USPAT	2002/04/24 16:03
	108	73/862.451.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:59
	349	73/849.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:00
	113	73/862.392.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:00
	103	73/862.621.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:00
	128	73/862.041.ccls.	USPAT	2003/01/02 12:00
	103	73/862.044.ccls.	USPAT	2003/01/02 12:00
	96	73/862.045.ccls.	USPAT	2003/01/02 12:00
	441	73/761.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:01
	441	73/761.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:45